



SIGNAL GENERATOR







SCHEMATIC OF THE HEATHKIT® ELECTRONIC DESIGN EXPERIMENTER MODEL ET-3100

NOTES:


1. COMPONENT NUMBERS ARE IN THE FOLLOWING GROUPS:
1 - 99 PARTS IN THE SIGNAL GENERATOR.
100 - 199 PARTS IN THE POWER SUPPLIES AND TWO EXPERIMENTAL CONTROLS.
2. ALL RESISTORS ARE 1/2 WATT. RESISTOR VALUES ARE IN OHMS (K = 1000; M = 1,000,000).
3. ALL CAPACITOR VALUES ARE IN μ F.
4. THIS SYMBOL INDICATES A DC VOLTAGE TAKEN WITH A HIGH IMPEDANCE VOLT-METER FROM THE POINT INDICATED TO CHASSIS GROUND.
5. THIS SYMBOL INDICATES A CONNECTION TO THE +15 V SOURCE - NOT THE VARIABLE DC OUTPUT.
6. THIS SYMBOL INDICATES A CONNECTION TO THE -15 V SOURCE - NOT THE VARIABLE DC OUTPUT.
7. POWER SUPPLY VOLTAGES WERE TAKEN WITH BOTH OUTPUTS ADJUSTED TO 15 VOLTS.
8. THIS SYMBOL INDICATES A VOLTAGE THAT WILL VARY AS THE LOAD AND LINE VOLTAGE VARY.
9. THIS SYMBOL INDICATES THE CLOCKWISE ROTATION OF A CONTROL.



Copyright © 1976
Heath Company
All Rights Reserved
Printed in the United States of America

Part of 595-1734-02

ILLUSTRATI



PICTORIAL 2-1

LECTOR CKS



MODEL ET-3200

Copyright © 1976
Heath Company
All Rights Reserved